

5

Claims

1. A topical composition comprising:
- a) an effective amount of borage seed oil, and
 - b) an effective amount of Angelica pubescens root.

10

2. A topical composition of claim 1, further comprising:
- c) an effective amount of Coleus forskohlii extract.

3. A topical composition of claim 1, further comprising:
- c) an effective amount of vinpocetine.

4. A topical composition of claim 1, further comprising:
- c) an effective amount of Coleus forskohlii extract, and
 - d) an effective amount of vinpocetine.

20

5. A topical composition of claim 4, wherein
- a) borage seed oil is 10-99% w/w of said composition,
 - b) Angelica pubescens root extract is 0.001-99% w/w of said composition,
 - c) Coleus forskohlii is 0.001-8% w/w of said composition, and
 - d) vinpocetine is 0.001-8% w/w of said composition.

25

6. A topical composition comprising:
- a) an effective amount of borage seed oil, and
 - b) an effective amount of Coleus forskohlii extract.

30

7. A topical composition comprising:
- a) an effective amount of borage seed oil, and
 - b) an effective amount of vinpocetine.

5

8. A topical composition comprising:

- a) an effective amount of *Angelica pubescens* root, and
- b) an effective amount of *Coleus forskohlii* extract.

IV

10

9. A topical composition comprising:

- a) an effective amount of *Angelica pubescens* root, and
- b) an effective amount of vinpocetine.

IV

10. A topical composition comprising:

- a) an effective amount of *Coleus forskohlii* extract,
- b) an effective amount of vinpocetine.

could be any amount

Comb/Sub

by us

11. A topical composition comprising:

- a) an effective amount of *Angelica pubescens* root,
- b) an effective amount of *Coleus forskohlii* extract, and
- c) an effective amount of vinpocetine.

A

12. A topical composition comprising:

an effective amount of borage seed oil and an effective amount of at least one of *Angelica pubescens* root or other angelica species root, *Coleus forskohlii* extract, vinpocetine, magnesium and its salts, and ferulic acid.

III

13. A topical composition of claim 4, further comprising a pharmaceutically acceptable topical excipient.

14. A topical composition of claim 13, wherein said excipient is one or more of: magnesium and its salts, ferulic acid, capric/caprylic triglyceride, silica, vitamin E, vitamin E acetate or salts thereof, ascorbyl palmitate or salts thereof, saccharin, fragrances, and flavors.

Sub I
30ay
sub B57

5

15. A topical composition of claim 13, further comprising 2-10 wt% deionized distilled water, .5-5 wt% sorbitan monooleate, 0.5-5 wt% lecithin and 0.25-2 wt% of flavor and/or fragrance enhancers.

sub B37
cont.

10

16. A method of facilitating female sexual arousal, female sexual response or heightened female genital sensation, comprising administering an effective amount of a composition of claim 1.

17. A method of treating female sexual arousal disorder, female orgasmic disorder, or female sexual pain disorder comprising administering an effective amount of a composition of claim 12.

18. A method of treating female sexual dysfunction, comprising administering an effective amount of a composition of claim 1.

19. A method of facilitating female sexual arousal or female sexual response, comprising administering an effective amount of a composition comprising an effective amount of borage seed oil.

20. A method of treating female sexual arousal disorder, female orgasmic disorder, or female sexual pain disorder comprising administering an effective amount of a composition comprising an effective amount of borage seed oil.

21. A topical composition comprising:
effective amounts of GLA and osthole.

22. A topical composition comprising:
effective amounts of GLA and eburnamenine-14-carboxylic acid ethylester.

5

23. A topical composition comprising:
effective amounts of osthole and eburnamenine-14-carboxylic acid
ethylester.

10

24. A topical composition comprising:
effective amounts of GLA, osthole, and eburnamenine-14-carboxylic acid
ethylester.

25. A method of facilitating female sexual arousal or female sexual response,
comprising administering a composition comprising effective amounts of
GLA and at least one of osthole, and eburnamenine-14-carboxylic acid
ethylester.

090515
10/23/00 9:00 AM

Sub
a 7

Add A 7
Add B 7